

Attorney Docket Number: FSP0042
Title: ROTATING BARRIER FOR JET MESSAGE
Application Number: 10/773,764

RECEIVED
CENTRAL FAX CENTER
JUL 31 2008

-2-

Claims

This listing of claims replaces all prior versions and listings of claims in the present application.

1. (Previously Presented) An apparatus comprising:
a frame;
a carriage mounted to translate in relation to the frame;
water jets; and
a barrier enclosing the water jets ,the barrier rotationally coupled to the carriage.
2. (Previously Presented) The apparatus of claim 1, further comprising:
a jet mount comprising the water jets, the jet mount passing through holes in discs, the barrier coupled to the discs.
3. (Original) The apparatus of claim 2, further comprising:
a barrier support supported by the jet mount.
4. (Previously Presented) The apparatus of claim 2, further comprising:
the holes in the discs located to collect water released from the water jets into the barrier.
5. (Previously Presented) An apparatus comprising:
a pad;
water jets; and
a barrier coupled to a carriage, the barrier enclosing the water jets and coupled to rotate in relation to the carriage to which it is coupled as the carriage and pad are translated in relation to one another.

Attorney Docket Number: FSP0042
Title: ROTATING BARRIER FOR JET MASSAGE
Application Number: 10/773,764

-3-

6. (Original) The apparatus of claim 5, further comprising:
a pair of catches to collect water from the water jets, the catches located on opposite sides of the pad from one another;
the catches comprising discs to which the barrier is coupled; and
the discs formed around holes located to collect water from the water jets.
7. (Original) The apparatus of claim 6, further comprising:
a jet mount comprising the water jets passing through the holes.
8. (Original) The apparatus of claim 7, further comprising:
a barrier support supported by the jet mount.
9. (Previously Presented) A jet massage comprising:
a pad;
a moveable carriage comprising a barrier, the barrier coupled to the carriage and coupled to rotate in relation to the carriage; and
water jets enclosed by the barrier.
10. (Original) The jet massage of claim 9, further comprising:
catches having holes located to collect water from the water jets as the water collects at the bottom of the barrier.
11. (Original) The jet massage of claim 10, further comprising:
a support formed to impart an approximately tubular shape to the barrier.
12. (Original) The jet massage of claim 10, further comprising:
the barrier coupled to discs formed around the holes.
13. (Previously Presented) An apparatus comprising:

Attorney Docket Number: FSP0042
Title: ROTATING BARRIER FOR JET MASSAGE
Application Number: 10/773,764

-4-

a fluid-tight barrier;
an open table over which the fluid-tight barrier is mounted at a position to make contact with a person lying on the open table;
jets enclosed within the barrier; and
a control system to cause the jets to apply fluid under pressure to an interior surface of the barrier as the barrier is translated in relation to the table.

14. (Previously Presented) The apparatus of claim 13, further comprising:
the control system to apply motion in addition to translation motion to the movable barrier as the movable barrier is translated in relation to the table.

15. (Previously Presented) The apparatus of claim 13, further comprising:
a translation guide system for the barrier mounted below a surface of the table.

16. (Previously Presented) An apparatus comprising:
an open cushioned table unenclosed by a lid;
a water-tight barrier movably mounted over the open cushioned table; and
a control system to cause application of fluid under pressure to an interior surface of the barrier as the barrier is translated along and over the table.

17. (Previously Presented) The apparatus of claim 16, further comprising:
the control system to apply motion in addition to translation motion to the barrier as the barrier is translated over the table.

18. (Previously Presented) The apparatus of claim 16, further comprising:
a translation guide system for the barrier mounted below the table.